

NautyTracesInter- face

An interface to nauty

0.2

1 March 2018

Sebastian Gutsche

Sebastian Gutsche

Email: gutsche@mathematik.uni-siegen.de

Homepage: <https://sebasguts.github.io>

Address: TODO

Contents

- 1 NautyTracesInterface automatic generated documentation 3**
- 1.1 NautyTracesInterface automatic generated documentation of attributes 3
- 1.2 NautyTracesInterface automatic generated documentation of methods 4
- Index 6**

Chapter 1

NautyTracesInterface automatic generated documentation

1.1 NautyTracesInterface automatic generated documentation of attributes

1.1.1 AutomorphismGroup (for IsNautyGraph)

▷ AutomorphismGroup(*arg*) (attribute)

1.1.2 AutomorphismGroupGenerators (for IsNautyGraph)

▷ AutomorphismGroupGenerators(*arg*) (attribute)

1.1.3 CanonicalLabeling (for IsNautyGraph)

▷ CanonicalLabeling(*arg*) (attribute)

1.1.4 CanonicalLabelingInverse (for IsNautyGraph)

▷ CanonicalLabelingInverse(*arg*) (attribute)

1.1.5 CanonicalForm (for IsNautyGraph)

▷ CanonicalForm(*arg*) (attribute)

1.1.6 NodeLabeling (for IsNautyGraphWithNodeLabels)

▷ NodeLabeling(*arg*) (attribute)

1.1.7 UnderlyingNautyGraph (for IsNautyGraphWithNodeLabels)

▷ UnderlyingNautyGraph(*arg*) (attribute)

1.2 NautyTracesInterface automatic generated documentation of methods

1.2.1 IsomorphismGraphs (for IsNautyGraph, IsNautyGraph)

▷ IsomorphismGraphs(*arg1*, *arg2*) (operation)

1.2.2 IsomorphicGraphs (for IsNautyGraph, IsNautyGraph)

▷ IsomorphicGraphs(*arg1*, *arg2*) (operation)

1.2.3 NautyGraph (for IsList)

▷ NautyGraph(*arg*) (operation)

1.2.4 NautyGraph (for IsList, IsInt)

▷ NautyGraph(*arg1*, *arg2*) (operation)

1.2.5 NautyDiGraph (for IsList)

▷ NautyDiGraph(*arg*) (operation)

1.2.6 NautyDiGraph (for IsList, IsInt)

▷ NautyDiGraph(*arg1*, *arg2*) (operation)

1.2.7 NautyColoredGraph (for IsList, IsList)

▷ NautyColoredGraph(*arg1*, *arg2*) (operation)

1.2.8 NautyColoredDiGraph (for IsList, IsList)

▷ NautyColoredDiGraph(*arg1*, *arg2*) (operation)

1.2.9 NautyEdgeColoredGraph (for IsList)

▷ NautyEdgeColoredGraph(*arg*) (operation)

1.2.10 NautyEdgeColoredGraph (for IsList, IsInt)

▷ NautyEdgeColoredGraph(*arg1*, *arg2*) (operation)

1.2.11 NautyGraphWithNodeLabels (for IsList, IsList)

▷ NautyGraphWithNodeLabels(*edges*, *labeling*) (operation)

▷ NautyDiGraphWithNodeLabels(*edges*, *labeling*) (operation)

▷ NautyColoredGraphWithNodeLabels(*edges*, *colors*, *labeling*) (operation)

▷ NautyColoredDiGraphWithNodeLabels(*edges*, *colors*, *labeling*) (operation)

Returns: a NautyGraph

Construct a nauty (di)graph with optional vertex coloring.

Arguments:

- *labeling*: dense list of positive integers (positions are the nodes of the underlying nauty graph, entries are node labels)
- *edges*: dense list of edges, encoded as pairs of node labels
- *coloring* (optional): dense list of colors (positive integers), indexed by the nodes of the underlying nauty graph

Index

- AutomorphismGroup
 - for IsNautyGraph, 3
- AutomorphismGroupGenerators
 - for IsNautyGraph, 3
- CanonicalForm
 - for IsNautyGraph, 3
- CanonicalLabeling
 - for IsNautyGraph, 3
- CanonicalLabelingInverse
 - for IsNautyGraph, 3
- IsomorphicGraphs
 - for IsNautyGraph, IsNautyGraph, 4
- IsomorphismGraphs
 - for IsNautyGraph, IsNautyGraph, 4
- NautyColoredDiGraph
 - for IsList, IsList, 4
- NautyColoredDiGraphWithNodeLabels
 - for IsList, IsList, IsList, 5
- NautyColoredGraph
 - for IsList, IsList, 4
- NautyColoredGraphWithNodeLabels
 - for IsList, IsList, IsList, 5
- NautyDiGraph
 - for IsList, 4
 - for IsList, IsInt, 4
- NautyDiGraphWithNodeLabels
 - for IsList, IsList, 5
- NautyEdgeColoredGraph
 - for IsList, 5
 - for IsList, IsInt, 5
- NautyGraph
 - for IsList, 4
 - for IsList, IsInt, 4
- NautyGraphWithNodeLabels
 - for IsList, IsList, 5
- NodeLabeling
 - for IsNautyGraphWithNodeLabels, 3
- UnderlyingNautyGraph
 - for IsNautyGraphWithNodeLabels, 4